

IBM®

MACHINE RECORD CARD

FORM 924-8110-0

ORDER NO.

SYSTEM NO.

MACH. TYPE 1401	SERIAL NO. 25478	VOLTAGE - DC AC 208	CYCLES 60	PHASE 3
MODEL C-3	WIRING DIAGRAM	CUSTOMER NAME & NO.		

SPECIAL FEATURES

INSTALLED

REMOVED

MES. NO.	DESCRIPTION	B/M NO.	E. C. LEVEL	EMPLOYEE NAME	DATE	EMPLOYEE NAME	DATE
046-1401-029	Extra Punch Scan Elimination	485774		SEXTON	7/2/62		
049-1401-031	Fix-down Connection			SEXTON	7/2/62		
	Up Date ALD's		112249V	SEXTON	4/27/62		
*213002	4+ Sink Issue (18V Diff Supp)	485873	114609	BENNETT	9/14/62		1.5
	Update ALD's		112903V	SEXTON	9/10/62		
	" "		112913V	SEXTON	9/10/62		
216747	Check Printer Disk Write SW	485764	113415	BANET	11/1/62		
	Add functional labels	485780	113547	SEXTON	11/6/62		
220069	Correct referencing errors	485775	113422	FARRELL	11/24/62		
-	MANUAL	-	112908	SEXTON	7/6/62		
-	MANUAL	-	112924	SEXTON	7/6/62		
300565	ATTACH 1406 12214	494682	116366	SEXTON	2/2/63		
300565	ATTACH 1406	494683	113843	SEXTON	2/2/63		
300659	MULTIPLY-DIVIDE ^{7M's} 485735	485752		SEXTON	2/2/63		
		485760	485765	FARRELL	2/2/63		
220071	1401 THERMAL SW. IN SERIES WITH PWR ON SW.	485836	114226	FARRELL	3/25/63		1.0
211512	DUAL HOWARD FANS	485969	114006	FARRELL	3/25/63		0.5
235794	Sound Shields of Mem Sense lines	485752	112917	FARRELL	3/5/63		0.5
	Update ALD's ^{could sent 4/20/64}		112251V	SEXTON	3/12/63		
3/22/63	235793 Add Sw Wme To Arrow 01A8	485735	112252	SEXTON	3/25/63		0.9
306071	Desensitize 70 usec Single Shot	485854	114244	SEXTON	4/11/63		0.6
306071	Improve Single Line and 70 Line Skip	485867	114026	SEXTON	5/1/63		1.0
242921	Prevent Erroneous Back Op, Also give a fwd stop delay 12.5 ms.	485778	113542	SEXTON	5/29/63		1.5
212922	up date 01B3 to 01B4	485833	113838	Matthews	5/2/63		
212922	(HAD TO BE REMOVED DIDNT WORK)	485856	113838	Matthews	5/29/63		
244846	REMOTE RECYCLING DEVICE	485912	114043A				4.0
247687	NOA PROCESS Run out interlock	485766	113525	SEXTON	6/1/63		
CEM 522	Correct Decoupled Condition	485730	114235	SEXTON	7/9/63		0.5
213357	on Reset Carry Signal						

MES. NO.	DESCRIPTION	B/M NO.	E. C. LEVEL	EMPLOYEE NAME	DATE	EMPLOYEE NAME	DATE
CEM 522 213357	Remove line capacitance on A Process Latch	card sent 485853	4-21-64 114622A	Elrod*	7/1/63		2.1
11	Allow Prog Check on D Cycles	485857	114246	E. Ivod	8/1/63		1.2
11	Cancel Stop Operation Inq P. Stop scan	485921	114032	E. Ivod	8-20 63		2.6
CEM-523	Failure to turn on Δ Proc. on ISR, on tape error	485907	115289	FARRELL	10-3 63		0.7
MES 253507	PROVIDE FEED THROUGH FOR TIME signal to O2B/	485847	114241	E. Ivod	9-4 63		1.5
CEM 519213710	change timing list B CYTOR PRE REQ. 485831 (COMPANION BILL) PREVENT ADDER FAILURE ON LA OPERATION	485884	114028	Supton	7/27/63		1.3
	CORRECT SINGLE CYCLE ON ARITH. OP.	486029	114041	E. Ivod	8-22 63		0.75
	ADD START RESET TO RE COMP. LATENT	485933	114034	E. Ivod	8-20 63		0.9
	MARGINAL VOITAGE - NOT BLOCK CARRY TGR.	486009	114038	Matthews	8-21 63		1.8
	WT. TM FOLLOWED BY SERIAL I/O OP.	485893	114029	E. Ivod	8-20 63		1.2
	Failure to SPACE AFTER PRINT when no pre req. STOP KEY IS DEPRESSED	485927	113840	Matthews	8/24 63		0.75
MES 213787 CEM 490	ELIMINATE FAILURE TO TURN ON A PROC. ON TAPE ERROR	485829	113834	Supton	7/23/63		0.7
MES 213783 CEM 524	PRE REQ. 485857, 485907	485908	114031	FARRELL	10-5 63		0.35
MES 213791 CEM 518	MORE RELIABLE SET OF CARRY TGR PRE REQ. 485884 (COMPANION BILL)	485831	113842A	Supton	7/27/63		0.9
MES 213788	UPDATE O2A1 PRE REQ. 485849 (NOT HERE)	485875	114613	Matthews	8/21/63		1.5
213793 CEM 516	UPDATE O1A8 PRE REQ. 485849 (NOT HERE)	485855	114243	Matthews	8/26 63		1.0
MES 213788	ELIMINATE ERRONEOUS CLOCK CYCLE PRE REQ. 485941 (ALSO 485903 AS COMPANION)	485925	115298	E. Ivod	9-22 64		1.5
MES 213788	INSURE PROPER OPERATION OF 1401 CARRY CIRCUITS. PRE REQ. 485875 (ALSO 485925 AS COMPANION)	485903	115280	E. Ivod	9-22 64		2.6
MES 213788	PREVENT RCS TO O2A1 PRE REQ. 485559, 485925	485941	115300B	E. Ivod	9-22 64		1.15
MES 213792	UPDATE GATE O2A1	485849	116242	E. Ivod	8-22 63	CEM 515	0.13
213781	Pre early turn off of hispd ship In	485895	114030	Matthews	8/21/63		1.4
J71678	Add Dust Cover to Relay Gate	485942	115285	E. Ivod	8-20 63		0.3
CEM 542	Op Code Decal			E. Ivod	8-19 63		0.1
	Correction for Overlap	485813	113535	E. Ivod	9-4 63		2.0
567	Change 70 usec 55 to 80	485858	114025	Supton	5/01		
MES H 213785	Change Splo. Timeout - T Inq P. Start	485765	113526	E. Ivod	9-4 63		2.3
MES H	Pre Req. 485765	485839	113841	E. Ivod	8-9 63		1.6
213785	Update Gate O2A8 to EC113841	485853	113413	(XXX)			2.1
MES H 253505	Remove line Cap. on A Process Latch	485880	114401	E. Ivod	8-9 63		1.5
MES H 213785	up Date Gate O2A8	485823	117133	Jamell	3/23/64		1.5
MES H 271676	Prevent current source Card damage	* 485844	114238	FARRELL	10-3 63		0.7
216355	Corr. Load Op. Latch						

IBM

MACHINE RECORD CARD

FORM 924-8110-0

ORDER NO.

SYSTEM NO.

MACH. TYPE	1401	SERIAL NO.	25478	- AC VOLTAGE - DC		CYCLES		PHASE	
MODEL		WIRING DIAGRAM		CUSTOMER NAME & NO.					

SPECIAL FEATURES

INSTALLED

REMOVED

MES. NO.	DESCRIPTION	B/M NO.	E. C. LEVEL	EMPLOYEE NAME	DATE	EMPLOYEE NAME	DATE
com 571 215961	Prevent Reed ^{Pre Req 485870} Complete Failure	486024	114039	WF	9/25/63		1.5hr
com 570 215961	Solar CB add. Circuits	485756	112922	E.L.	9/25/63		3.2
com 589 215961	Prevent ^{cards sent 4-20-64} Imm. I/E Change	485934	114035	Elrod	4-15 64		* 2.5
com 497 215961	STOP PROCESS ON (PRE REQ.) PFR VALIDITY ON	485870	114027	WF	9/25/63		3
com 520 216354	marginal voltage not block every 1/4 hr (485843)	485843	114029	JUST	8-20-63		1.2
com 529 214354	add S.S. to Rd 14V Reset.	* 485945	115300	FARRELL	10-3 63		1.5
com 597 mes 216358	correct ZONE ADDER overload ^{PRE REQ. ON}	* 485936	114037	FARRELL	10-3 63		.7
com 584 mes 216358	ADD START RESET TO	486009	114038	JUST	8-21-63		1.8
com 606 mes 216356	RE COMP LATCH (PRE REQ. ON)	486009	114038	JUST	8-21-63		1.8
com 602 mes 216543	Pre Req. 486128 Prevent extra BIT failure in A reg	* 485920	114054	Elrod	4/20/64 1-21 64		2.0
CEM 641 216273	NO PRE-REQ. ADD MISSING WIRE - MULT. - DIV.	486017	115596	FARRELL	10-3 63		0.5
216357	RWD LATCH IMPROVEMENT TAG	485644	112226	FARRELL	9/25/63		0.7
CEM 651 216542	PRE-REQS ON ^{cards sent 4/20/64} PREVENT ERRONEOUS TURN ON OF PRINT BUFFER	486136	116739	ELROD	1/0 64		3.6
CEM 651 216542	PRE-REQ. 486136 ^{cards sent 4/20/64} PREVENT ERRONEOUS TURN ON OF PRINT BUFFER	486134	116741	Mathews	4-15 64		* 1.3
CEM 654 216542	(ADDS 1G3 CARD) PRE-REQ B/M 486033 PREVENT EXTRA BIT FAILURES IN B REG.	486128	114051	FARRELL	10-3 63		0.5
312302	GROUP MARK COMPATABILITY	880669		LYONS			
"	PREVENT PARITY ERRORS ON G/M	880668		LYONS			
"	MAKE 8-2 VALID	494748		LYONS			
CEM #661	Pre req. 485730 - Not here Provide -U Magnetic Emitter Feed Through	486137	114049	Elrod	3/11 64		
CEM #661	Prevent "A" reg Errors while reading Cards	485265	114063	Elrod	* 4-21 64	2.	1.9
CEM #632	Pre req. 486119 - Companion Bill 486211	486027	114040	Mathews	* 4-14 64		0.5
CEM #607	Up Data Logic on Gato 01A3401B1	486027	114040	Mathews	64		0.5
CEM #607	Re address failures on Comp. Add. ^{ON} AI ready	486029	114041	Elrod	* 4-21 64	4-22-64	0.6
CEM #615	Remote Recycle Control Logics ^{cards sent 4-20-64} (See 615)	486033	114043	Mathews	* 4-11 64		0.5
CEM #657	075-105 Time to Turn on Readdress Latch	486119	114047	Elrod	* 4-21 64	6	5.3
MES # 216541	Pre-req- 485908 & 486033 (Error-2)	486211	114064	Elrod	* 4-21 64	20	1.3
mes 28320	Correct "A" reg. Delay	486211	114064	Elrod	* 4-21 64	20	1.3
mes 28320	ADD CIRCUITRY FOR MAGNETIC EMITTER COMPANION BILL	485212	114052	Elrod	3-11 64		1.95
mes 28320	IMPROVE PRINT OP. ON PFMACHINES PRE REQ'S OK	485932	114033	Mathews		12/3/63	1.6

MES. ORGEM NO.	DESCRIPTION	B/M NO.	E. C. LEVEL	EMPLOYEE NAME	DATE	EMPLOYEE NAME	DATE
291855	Prevent Damage to Current Source Cards	485823	117133	James	5/24/64	James	5/24/64
291855	Prevent Jamming of Recorder	486119	114074				5.5
EL. 666	Improve Greg Transfer	485516	114058	McSavit			1.95
7806	Lope Infermix	494675	115598	Elrod	6/4/64	Elrod	3.0
	Improve meter operation	486476	118595X	James	1/23/64	James	0.7
312302	Prevent loss of Regulation on - 18V DFT. supply (no pre reqs)	485604	116793	James	1/23/64	James	1.5
	Provide filtering	486218	114066	Lyons	1/19/64	Lyons	5
	Basic Noise Reduction	485605	116786	Elrod	6/8/64	Elrod	1.0
219104	Insure Full Erase of Previous Record	486653	115300D	Elrod	2-18-64	Elrod	
219104	Insure Full Erase of Previous Record	486054	115300E	Elrod	2-13-64	Elrod	
750	Prevent failure to Space	486789	114203A	James	11/17/64	James	
31940-B	INST. DETERRENT DEVICE 7381	486790	114204	Farrell	11/18/64	Farrell	0.5
257368	Improve Start-Rst. Ckt.	486794	114208	Farrell	1/24/64	Farrell	1.0
264906-B	FILTER + 12V TO 01A1	486816	120060	Elrod	2/2/65	Elrod	0.5
1990	Col Binary MSB 340678	494758		Miller	3/3/65	Miller	
297359	Prevent False Check Clock	486131	116735				1.0
	Provide up dated tie down.	487275	121874				
	update Tie down list	486045	114044		6/24/66		5w8
	Remove Tie down list 01A1	486044	116360		6/15/66		
	provide signals for - c 1201 15	486121	116726	James	7/15/66	James	
	stopped change	486125	114108	James	7/15/66	James	
	prevent neglect of a remind-orkad call	486125	114108	James	7/15/66	James	
	prevent false removal of ground star trigger	486123	114090	James	7/15/66	James	
366563	Serial I/O adapter	494672	124235	James	7/15/66	James	

-1401- MACHINE HISTORY- 12/12/61 JES

MACH. NO. 25478				ENGINEERING CHANGES INSTALLED			
SYSTEM NO. 46255				DATE			
BR. OFF. NO. 258				INITIALS			
CUST NO. 37110-00				○			
BLOCK NO.				ⓑ			
MODEL C-03				ⓓ			
DATE SHIP				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			
				ⓕ			
				ⓖ			
				ⓗ			
				ⓓ			
				ⓔ			

-1401 - MACHINE HISTORY-

MACH. NO. <u>25478</u>				ENGINEERING CHANGES INSTALLED												
SYSTEM NO. _____				DATE												
BR. OFF. NO. _____				INITIALS												
CUST. NO. _____				<input type="radio"/> CHANGE REQ'D												
BLOCK NO. _____				<input checked="" type="radio"/> CHANGE INSTALLED												
MODEL - <u>C 03</u>				<input type="radio"/> RECORD CHANGE ONLY												
DATE SHIP. _____				RECORD CHANGE ONLY												
GATE	MFI	ITEM	PART NO.	REQD ON THIS MACH.												
02B1	OV	WL	723569													
	OV	PL	724399													
	OV	SDI	723571													
	OVR	PL	724401													
	723568	OVT	PL	724403												
02B2	BA	WL	760717	112226												
	MO	PL	760718	109909												
	M3	PL	760723													
	760721	M6	PL	760725	109909											
	TAU	SDI	723394	112228												
02B3	BA	WL	760757	112228A												
	MO	PL	760758	112226												
	M6	PL	760763	110935												
	M3	PL	760765													
	760761	M2	PL	760773	110940											
	M4	PL	760777													
TAU	SDI	723395	112228													
02B4	BA	WL	760767	112226												
	760771	MO	PL	760768	112226											
	TAU	SDI	723396	112226												
02B6	IN	WL	723556	112292												
	IN	PL	723691	112292												
	IN-CW	CW	PL	723689												
	723555	IN-CW	SDI	723558	112292											
		124K	PL	723744	110320M											
		1248	PL	724014	110330M											
		8M	PL	724016												
	8K	PL	724018													
	12M	PL	724486													
02B7	MD	WL	723560													
	723559	MD	PL	723990												
		MD	SDI	723562												
02B8	CH	WL	723564													
	723563	CH	PL	723634												
		CH	SDI	723566												

IBM®

MACHINE RECORD CARD

FORM 924-8110-0

ORDER NO.

INST- 12/20/61

SYSTEM NO.

MACH. TYPE 1402	SERIAL NO. 21756	VOLTAGE - AC 208	CYCLES 60	PHASE 3
MODEL 001	WIRING DIAGRAM	CUSTOMER NAME & NO.		

SPECIAL FEATURES

INSTALLED

REMOVED

MES. NO.	DESCRIPTION	B/M NO.	E. C. LEVEL	EMPLOYEE NAME	DATE	EMPLOYEE NAME	DATE
241646	#1 CARD LEVER DELAY	605295	802617	FARRELL	7-21		2.0ARS
244471	PREVENT CAPACITOR DISCHARGE NOISE	605378	802949	FARRELL	5-7-62		1.5ARS
* 346 249839	DOES NOT APPLY Additional Stop Control Circuit	605405	802669-G				
111164	Early Card Read	605299	803189 B	FARRELL	7-21		
	ADD RELAY 13	605311	802669 E	FARRELL	7-21		2.0
253953	Stop Key Noise Elimination	605384	802949 A	Matthews	6/6/63		
256087	JOGGER SPRING CEM 441	602147	8028252	FARRELL	1-23		
CEM 1401-545	PUNCH DIE CARD LEVER			SEXTON	2/25/63		
261963	Current Balance Correction Machine	605413	803330D	Syfton	4/17/63		
CEM 569 103572	Card Lines Noise Suppression	605462	805340 A	Syfton	4/17/63		
CEM 510 265274	Print Safety	605811	803902	OW	4/6/63		5.5
CEM 370	solar CB ASSY	605366	106783		9-25 63		
CEM 507	Prevent Punching Duplicate Cards	605457	106111	Matthews	7/63		
CEM 535	Select Mag Noise Suppression			Elrod	8-19 63		3
108197	20A ISOLATION TRANSFORMER	605411	108197	Elrod Matthews	11-4 63		
	IMPROVED STACKER SLIDES	605368	8026704				
245782	Replace HD #8 Relay Points	605478	804764A	FARRELL	7/63		
249388	AC Line Filter	605446	804773E	Elrod	4-23 63		1.0
262205	Update Fuses Wiring Requirements	605492	805462	Elrod	11/63		1.5
267340	SWAP CELL CB CARD INSULATING WASHER	600132	805898	Elrod	11/1/64	CEM 107	0.2

1406 MACHINE HISTORY

SERIAL NUMBER 12214
SYSTEM NUMBER 36255
MODEL NUMBER 001

BRANCH OFFICE 258
CUST NUMBER 37110-00
DATE 01-23-3

06B1-805511

06B4-805484

06B8-000000

WL	SDI	WL	SDI	WL	SDI
805512	724690	805485	805487		805369
112911	112911	113839	113839	114227B
114616
.....
.....
.....
.....

COMPOSITE LIST OF ALL ENGINEERING CHANGES INSTALLED

112911 113839 114227B 114616

19
18
16
15

0050-1 PACH LIST FOR-1402 MOD-0CL SER- 34756 PRT-10 REGSTR NASHVILLE 1950VTD
 C-0- CTRY- CUST-3711000-GENPSCO SER DR-258 SYS#-0000-554-0000 TV#-1401
 SP-100LTA8 SHIPPRD-DIOFC01 SMP SEQ-A0002 PCT SEQ-00043 N/D SUP- J PACH STA-SH7MA 2

PRE NO	SEQ#	EC#	STATUS	PLD B/M	PCT#	TIME	ECAR	DATE
0049	A0002	802538	PREP LVL					
0051	A0003	802423	INQUIRY*					
0071	A0004	802517	INSTALLED					
0073	A0005	802569C	INSTALLED					
0078	A0006	802569A	INSTALLED					
0086	A0007	802949	INSTALLED					
0098	A0008	802771A	INQUIRY					
0099	A0009	802749A	INSTALLED					
0094	A0010	802861	INQUIRY*					
0120	A0011	802502	INSTALLED					
0131	A0012	804773E	INSTALLED					
0134	A0013	803330D	INSTALLED					
0140	A0014	802764A	INQUIRY*					
0157	A0015	804784	INQUIRY*					
0158	A0016	804472	INQUIRY*					
0159	A0017	804793	INQUIRY*					
0160	A0018	805662	INSTALLED					
0171	A0019	805898	INSTALLED					
0180	A0020	806869	INQUIRY*					
0190	A0021	807178B	NOT APPLY					
0199	A0022	809254	INQUIRY*					
0200	A0023	8073240	INQUIRY*					
0211	A0024	902461A	INSTALLED					
0219	A0025	809274	INSTALLED					
0220	A0026	809774A	INQUIRY*					
0252	A0027	810444	INSTALLED					
0050	B0043	PCT 801983	FACT LVL					
0052	B0044	PCT 802413	INQUIRY*					
0053	B0045	PCT 802542	INQUIRY*					
0054	B0046	PCT 802460	INQUIRY*					
0055	B0047	PCT 802483	INQUIRY*					
0056	B0048	PCT 802482	INQUIRY*					
0056	B0049	PCT 802667	INQUIRY*					
0059	B0050	PCT 802466	INQUIRY*					
0059	B0051	PCT 802695	INQUIRY*					
0062	B0052	PCT 802623	INQUIRY*					
0063	B0053	PCT 802534	INQUIRY*					
0066	B0054	PCT 801830H	INQUIRY*					
0071	B0055	PCT 802039	INQUIRY*					
0075	B0056	PCT 801900	INQUIRY*					
0076	B0057	PCT 802421	INQUIRY*					
0077	B0058	PCT 802669	INQUIRY*					
0080	B0059	PCT 807669B	INSTALLED					
0084	B0060	PCT 801167	INQUIRY*					
0084	B0061	PCT 802949C	INQUIRY*					
0090	B0062	PCT 803304	INQUIRY*					
0093	B0063	PCT 802774	INQUIRY*					
0094	B0064	PCT 802843C	INSTALLED					
0097	B0065	PCT 802669E	INQUIRY*					
0098	B0066	PCT 802103	INQUIRY*					
0106	B0067	PCT 802448	INQUIRY*					
0108	B0068	PCT 8031894	INQUIRY*					
0108	B0069	PCT 8031898	INQUIRY*					
0108	B0070	PCT 803330	INQUIRY*					
0109	B0071	PCT 803319	INQUIRY*					
0110	B0072	PCT 802759	INQUIRY*					
0112	B0073	PCT 803330B	INQUIRY*					
0113	B0074	PCT 802231B	INQUIRY*					
0117	B0075	PCT 802702	INQUIRY*					
0118	B0076	PCT 803327	INQUIRY*					
0119	B0077	PCT 803445	INQUIRY*					
0121	B0078	PCT 803558	INQUIRY*					
0123	B0079	PCT 802825	INQUIRY*					
0125	B0080	PCT 803601	INQUIRY*					
0127	B0081	PCT 803330C	INSTALLED					
0129	B0082	PCT 803559	NOT APPLY					
0130	B0083	PCT 803464	INQUIRY*					
0132	B0084	PCT 803186	INQUIRY*					
0133	B0085	PCT 803186B	NOT APPLY					

PRG NO	MACH	LIST	EQ#	SER-	2175A	PLT-10	REQSYR	NASHVILLE	1960V70
PRG NO	SEQ#	EQ#	STATUS	FLD B/R	PCSI #	TIME	EQ#	DATE	
0136	00006	FCT	004542A	INQUIRY*					
0137	00007	FCT	002042K	INSTALLED					
0138	00008	FCT	004533C	INQUIRY*					
0141	00009	FLT	004754B	INSTALLED					
0143	00010	FCT	004773B	INSTALLED					
0144	00011	FCT	004533C	INQUIRY*					
0148	00012	FCT	005084C	NOT APPLY					
0149	00013	FCT	010542	INQUIRY*					
0150	00014	FCT	005123	INQUIRY*					
0151	00015	FCT	003467	NOT APPLY					
0152	00016	FCT	004704A	INSTALLED					
0153	00017	FCT	005088A	INQUIRY*					
0155	00018	FCT	0000000	NOT APPLY					
0156	00019	FCT	005000C	NOT APPLY					
0162	00100	FCT	005464	INQUIRY*					
0164	00101	FCT	007575	NOT APPLY					
0169	00102	FCT	005004B	NOT APPLY					
0170	00103	FCT	007305	INSTALLED					
0173	00104	FCT	005288	INQUIRY*					
0174	00105	FCT	005481	INQUIRY*					
0175	00106	FCT	005004E	NOT APPLY					
0176	00107	FCT	008411	INQUIRY*					
0177	00108	FCT	007799	NOT APPLY					
0181	00109	FCT	007027	INQUIRY*					
0183	00110	FCT	007952	INQUIRY*					
0185	00111	FCT	002201	NOT APPLY					
0191	00112	FCT	007874D	INSTALLED					
0192	00113	FCT	007074A	INQUIRY*					
0194	00114	FCT	002281	NOT APPLY					
0196	00115	FCT	002912	NOT APPLY					
0197	00116	FCT	004703	INSTALLED					
0198	00117	FCT	007367	INQUIRY*					
0202	00118	FCT	007074J	INQUIRY*					
0203	00119	FCT	002259	NOT APPLY					
0205	00120	FCT	004041	INQUIRY*					
0209	00121	FCT	003941	INQUIRY*					
0209	00122	FCT	009264	NOT APPLY					
0210	00123	FCT	005084	INQUIRY*					
0212	00124	FCT	003754	NOT APPLY					
0213	00125	FCT	006260	NOT APPLY					
0215	00126	FCT	008467A	INQUIRY*					
0216	00127	FCT	002206B	INSTALLED					
0217	00128	FCT	002413	NOT APPLY					
0221	00129	FCT	000757	NOT APPLY					
0222	00130	FCT	004772	NOT APPLY					
0225	00131	FCT	004334	INQUIRY*					
0229	00132	FCT	008856	INQUIRY*					
0231	00133	FCT	010562	INQUIRY*					
0232	00134	FCT	005764	INQUIRY*					
0241	00135	FCT	002463	INQUIRY*					
0244	00136	FCT	010944	INQUIRY*					
0245	00137	FCT	002773	INQUIRY*					
0249	00138	FCT	009264E	NOT APPLY					
0257	00139	FCT	009770	INQUIRY*					
0258	00140	FCT	011609	INQUIRY*					
0259	00141	FCT	009274B	INQUIRY*					
0260	00142	FCT	011174	INQUIRY*					
0261	00143	FCT	002522	NOT APPLY					
0263	00144	FCT	002160	NOT APPLY					
0264	00145	FCT	002644	NOT APPLY					
0265	00146	FCT	002690	NOT APPLY					
0266	00147	FCT	002895	INQUIRY*					
0267	00148	FCT	002980	INQUIRY*					
0270	00149	FCT	010916	INQUIRY*					
0051	Y0001	OPT	002347	INQUIRY*					
0068	Y0002	OPT	002777	INSTALLED					
0081	Y0003	OPT	002259S	INQUIRY*					
0092	Y0004	OPT	002670A	INQUIRY*					
0099	Y0005	OPT	002642A	INQUIRY*					
0107	Y0006	OPT	002845	NOT APPLY					
0111	Y0007	OPT	003460	INQUIRY*					

WCSO-1 PMS NO	WACH LIST SEQ#	PCO-1402 EC#	PCO-001 SER- STATUS	21736 PLT-10 FLD B/M	REGSTR NASHVILLE FCST #	TIME	CLASS	1980/1/28 DATE
0115	Y0006	OPT	8021038	NOT APPLY				
0125	Y0009	OPT	803891	INQUIRY*				
0128	Y0010	OPT	804340	INQUIRY*				
0135	Y0011	OPT	804340A	INSTALLED				
0142	Y0012	OPT	804326	INQUIRY*				
0153	Y0013	OPT	805457	INQUIRY*				
0160	Y0014	OPT	807381	INQUIRY*				
0174	Y0019	OPT	805454A	INQUIRY*				
0201	Y0016	OPT	807874K	NOT APPLY				
0207	Y0017	OPT	807874L	NOT APPLY				
0222	Y0018	OPT	809265	NOT APPLY				
0224	Y0017	OPT	808885	NOT APPLY				
0227	Y0020	OPT	808885	NOT APPLY				
0230	Y0021	OPT	809765	NOT APPLY				
0242	Y0022	OPT	810439A	NOT APPLY				
0244	Y0023	OPT	810439B	NOT APPLY				
0247	Y0024	OPT	802777A	INQUIRY*				
0247	Y0025	OPT	802092	NOT APPLY				
0250	Y0026	OPT	805269A	NOT APPLY				
0256	Y0027	OPT	811421A	NOT APPLY				

PMS NO	FEAT SH SEQ#	QTY EC#	FEATURE NAME STATUS	STATUS	DATE	MFI/ACC	SHP-LVL-PCO
	0299713	001	SWITCH PLATE	INT	DEC61		00001 80000
	00001	811304	PRES LVL				
	0299724	001	GRP MKK SW CRT	INT	DEC61		00001 80000
	00001	891303	PRES LVL				
0252	0604727	001	PCB LIST	INT	JUN67		00002 80000
	00002	810444	PRES LVL				
0215	00005	PCY	809264A	FACT LVL			
	0604777	001	E C R	INT	DEC61		00001 80000
	00001	802480A	PRES LVL				
0108	80000	PCY	803330	INQUIRY*			
0128	80001	PCY	804340	INQUIRY*			
0143	80002	PCY	804764B	INSTALLED			
0143	80003	PCY	804773B	INSTALLED			
0170	80004	PCY	807385	INSTALLED			
0172	80005	PCY	807852	INQUIRY*			
0191	80006	PCY	807874D	INSTALLED			
	0920603	001	200 VOLT	INT	JAN65		00001 80000
	00001	595555	PRES LVL				

0050-1 MACH LIST FOR-1402 MOD-001 SER- 21756 PLT-10 REGSTR NASHVILLE 19NOV70
 E-A- CTRY- CUST-3711000-GENESCO SER BR-258 SYS#-0000-554-00000 TYP-1401
 50-100CT60 SHIPPED-01DEC61 SHP SEQ-A0002 FCT SEQ-H0043 W/D SUF- J MACH STA-SW/M A Z

PRS NO	SEQ#	FC#	STATUS	FLD D/M	FCSI #	TIRE	ECA#	DATE
0040	A0002	802538	PRES LVL					
0061	A0003	802478	INQUIRY*					
0073	A0004	802617	INSTALLED					
0074	A0005	802669C	INSTALLED					
0078	A0006	802669A	INSTALLED					
0086	A0007	802949	INSTALLED					
0088	A0008	802771A	INQUIRY					
0095	A0009	802949A	INSTALLED					
0096	A0010	802841	INQUIRY*					
0120	A0011	802902	INSTALLED					
0131	A0012	804773E	INSTALLED					
0134	A0013	8043300	INSTALLED					
0140	A0014	802764A	INQUIRY*					
0157	A0015	804784	INQUIRY*					
0158	A0016	806472	INQUIRY*					
0165	A0017	804793	INQUIRY*					
0168	A0018	805462	INSTALLED					
0171	A0019	805898	INSTALLED					
0184	A0020	800563	INQUIRY*					
0190	A0021	807378B	NOT APPLY					
0192	A0022	809254	INQUIRY*					
0206	A0023	807524D	INQUIRY*					
0211	A0024	808461A	INSTALLED					
0219	A0025	809274	INSTALLED					
0228	A0026	809774A	INQUIRY*					
0252	A0027	810446	INSTALLED					

0050	H0043	FCT	801983	FACT LVL				
0052	H0044	FCT	802413	INQUIRY*				
0055	H0045	FCT	802542	INQUIRY*				
0054	H0046	FCT	802450	INQUIRY*				
0056	H0047	FCT	802482	INQUIRY*				
0056	H0048	FCT	802482	INQUIRY*				
0058	H0049	FCT	802467	INQUIRY*				
0059	H0050	FCT	802485	INQUIRY*				
0060	H0051	FCT	802895	INQUIRY*				
0062	H0052	FCT	802423	INQUIRY*				
0063	H0053	FCT	802930	INQUIRY*				
0064	H0054	FCT	801820H	INQUIRY*				
0071	H0055	FCT	802029	INQUIRY*				
0075	H0056	FCT	801900	INQUIRY*				
0076	H0057	FCT	802421	INQUIRY*				
0077	H0058	FCT	802669	INQUIRY*				
0080	H0059	FCT	802669B	INSTALLED				
0083	H0060	FCT	801167	INQUIRY*				
0084	H0061	FCT	802949C	INQUIRY*				
0090	H0062	FCT	803304	INQUIRY*				
0092	H0063	FCT	807779	INQUIRY*				
0094	H0064	FCT	802993C	INSTALLED				
0097	H0065	FCT	802669G	INQUIRY*				
0098	H0066	FCT	802103	INQUIRY*				
0104	H0067	FCT	802946	INQUIRY*				
0105	H0068	FCT	803189A	INQUIRY*				
0106	H0069	FCT	803189B	INQUIRY*				
0108	H0070	FCT	803530	INQUIRY*				
0109	H0071	FCT	803319	INQUIRY*				
0110	H0072	FCT	802759	INQUIRY*				
0112	H0073	FCT	803350B	INQUIRY*				
0113	H0074	FCT	802251B	INQUIRY*				
0117	H0075	FCT	802780	INQUIRY*				
0118	H0076	FCT	803327	INQUIRY*				
0119	H0077	FCT	803445	INQUIRY*				
0121	H0078	FCT	803508	INQUIRY*				
0123	H0079	FCT	802825	INQUIRY*				
0125	H0080	FCT	803600	INQUIRY*				
0127	H0081	FCT	803330C	INSTALLED				
0129	H0082	FCT	803599	NOT APPLY				
0130	H0083	FCT	803444	INQUIRY*				
0132	H0084	FCT	803186	INQUIRY*				
0133	H0085	FCT	803186B	NOT APPLY				

0050-1 KRS NO	NACH LIST FOR-1402 SEQ#	ADB-001 SER- EC#	21756 PLT-10 REGSTA FLD B/A PCST #	NASHVILLE TIME	1989V70 ECAM DATE
0136	80086	FCT 804542A			INQUIRY*
0138	80087	FCT 802843K			INSTALLED
0139	80088	FCT 804533A			INQUIRY*
0141	80089	FCT 804764B			INSTALLED
0143	80090	FCT 804773B			INSTALLED
0144	80091	FCT 804533C			INQUIRY*
0148	80092	FCT 805086			NOT APPLY
0149	80093	FCT 810642			INQUIRY*
0150	80094	FCT 805138			INQUIRY*
0151	80095	FCT 805467			NOT APPLY
0152	80096	FCT 804784A			INSTALLED
0153	80097	FCT 805888A			INQUIRY*
0155	80098	FCT 805888B			NOT APPLY
0156	80099	FCT 805888C			NOT APPLY
0162	80100	FCT 805464			INQUIRY*
0164	80101	FCT 807875			NOT APPLY
0169	80102	FCT 805888A			NOT APPLY
0170	80103	FCT 807985			INSTALLED
0172	80104	FCT 805888			INQUIRY*
0173	80105	FCT 805461			INQUIRY*
0175	80106	FCT 807884E			NOT APPLY
0176	80107	FCT 808411			INQUIRY*
0177	80108	FCT 807799			NOT APPLY
0181	80109	FCT 807837			INQUIRY*
0183	80110	FCT 807952			INQUIRY*
0185	80111	FCT 802261			NOT APPLY
0191	80112	FCT 807074D			INSTALLED
0193	80113	FCT 807874A			INQUIRY*
0194	80114	FCT 802281			NOT APPLY
0196	80115	FCT 808912			NOT APPLY
0197	80116	FCT 808703			INSTALLED
0200	80117	FCT 807262			INQUIRY*
0202	80118	FCT 807874J			INQUIRY*
0203	80119	FCT 809259			NOT APPLY
0205	80120	FCT 808461			INQUIRY*
0209	80121	FCT 809041			INQUIRY*
0209	80122	FCT 809264			NOT APPLY
0210	80123	FCT 806556			INQUIRY*
0212	80124	FCT 809754			NOT APPLY
0213	80125	FCT 809266			NOT APPLY
0215	80126	FCT 808457A			INQUIRY*
0216	80127	FCT 809264B			INSTALLED
0217	80128	FCT 809247			NOT APPLY
0221	80129	FCT 809757			NOT APPLY
0223	80130	FCT 809772			NOT APPLY
0225	80131	FCT 804339			INQUIRY*
0229	80132	FCT 808855			INQUIRY*
0231	80133	FCT 810952			INQUIRY*
0232	80134	FCT 809764			INQUIRY*
0233	80135	FCT 802463			INQUIRY*
0234	80136	FCT 810945			INQUIRY*
0235	80137	FCT 809772			INQUIRY*
0236	80138	FCT 809264E			NOT APPLY
0227	80139	FCT 809770			INQUIRY*
0238	80140	FCT 811409			INQUIRY*
0239	80141	FCT 809274B			INQUIRY*
0240	80142	FCT 811174			INQUIRY*
0241	80143	FCT 802522			NOT APPLY
0243	80144	FCT 802169			NOT APPLY
0244	80145	FCT 802644			NOT APPLY
0245	80146	FCT 802690			NOT APPLY
0266	80147	FCT 802995			INQUIRY*
0267	80148	FCT 802906			INQUIRY*
0273	80149	FCT 816916			INQUIRY*

0051	Y0001	OPT 802347			INQUIRY*
0069	Y0002	OPT 802777			INSTALLED
0081	Y0003	OPT 802259B			INQUIRY*
0082	Y0004	OPT 802670A			INQUIRY*
0095	Y0005	OPT 802843A			INQUIRY*
0107	Y0006	OPT 802845			NOT APPLY
0111	Y0007	OPT 803460			INQUIRY*

MRS NO	SEQ#	EC#	STATUS	FLD B/M	FCSI #	TIME	ECA#	DATE
0050-1	MACH LIST FOR-1402	MOO-001	SER-	21756	PLT-10	REQSTR	NASHVILLE	19NOV70
0114	Y0008	OPT 8021036	NOT APPLY					
0126	Y0009	OPT 803891	INQUIRY*					
0128	Y0010	OPT 804340	INQUIRY*					
0135	Y0011	OPT 804340A	INSTALLED					
0142	Y0012	OPT 804525	INQUIRY*					
0145	Y0013	OPT 805457	INQUIRY*					
0150	Y0014	OPT 807381	INQUIRY*					
0174	Y0015	OPT 805464A	INQUIRY*					
0201	Y0016	OPT 807874K	NOT APPLY					
0207	Y0017	OPT 807874L	NOT APPLY					
0222	Y0018	OPT 809269	NOT APPLY					
0224	Y0019	OPT 808853	NOT APPLY					
0226	Y0020	OPT 808866	NOT APPLY					
0230	Y0021	OPT 809765	NOT APPLY					
0242	Y0022	OPT 810439A	NOT APPLY					
0246	Y0023	OPT 810439B	NOT APPLY					
0247	Y0024	OPT 802777A	INQUIRY*					
0248	Y0025	OPT 802092	NOT APPLY					
0250	Y0026	OPT 809269A	NOT APPLY					
0256	Y0027	OPT 811421A	NOT APPLY					

MRS NO	FEAT	BN	QTY	FEATURE NAME	STATUS	DATE	RF1/ACC	SHP-LVL	FCI
	SEQ#		EC#	STATUS	FLD B/M	FCSI #	TIME	ECA#	DATE
	0299713		001	SWITCH PLATE	INT	DEC61		00001	E0000
	00001		851304	PRES LVL					
	0299724		001	GRP BRK SW CKT	INT	DEC61		00001	E0000
	00001		891303	PRES LVL					
0252	0609727		001	MUG LIST	INT	JUN67		00002	E0005
	00002		810446	PRES LVL					
0210	E0005	FCT	8052640	FACT LVL					
	0609777		001	F C R	INT	DEC61		00001	E0000
	00001		802620A	PRES LVL					
0109	E0000	FCT	803330	INQUIRY*					
0128	E0001	FCT	804340	INQUIRY*					
0141	E0002	FCT	8047640	INSTALLED					
0143	E0003	FCT	8047730	INSTALLED					
0170	E0004	FCT	807385	INSTALLED					
0182	E0005	FCT	807852	INQUIRY*					
0191	E0006	FCT	8078740	INSTALLED					
	0920603		001	208 VOLT	INT	JAN65		00001	E0000
	00001		555555	PRES LVL					